RECEIVED // JUN 2 0 1995 CROUP 1100

EXPEDITED PROCEDURE UNDER 37 C.F.R. § 1.116 HAND-CARRY TO GROUP 1100 ATTN: EXAMINER PAL

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Fumio ABE et al.

Group Art Unit: 1106

Serial No.: 08/067,275

Examiner: Pal, A.

Filed: May 26, 1993

For: HEATER AND CATALYTIC CONVERTER

## REQUEST FOR RECONSIDERATION

Assistant Commissioner for Patents Washington, D. C. 20231

Sir:

In response to the Office Action mailed January 20, 1995, reconsideration and withdrawal of the rejection asserted therein is respectfully requested for the following reasons.

Claims 1-6 and 11-12 were rejected under § 102(e)/§ 103 over Inoue et al. or JP '061. This rejection is respectfully traversed for the following reasons.

Inoue et al. disclose catalytically active zeolites for cleaning exhaust gas. The disclosed zeolites have an SiO<sub>2</sub>/Al<sub>2</sub>O<sub>3</sub> ratio within a range of about 20 to 100, and are ion exchanged with noble metals (see column 3, lines 13-17 of Inoue et al.). The zeolite, <u>after</u> ion exchange, is pelletized with any number of natural clays or inorganic compounds. After the pellets are formed

they are calcined. The PTO has considered the various inorganic compounds described by Inoue et al. to be heat-resistant oxides. However, the inorganic compounds of Inoue et al. are not loaded with a noble metal. The inorganic compounds of Inoue et al. (e.g., alumina, silica, magnesia) are pelletized with the aluminosilicate after the aluminosilicate is ion exchanged with a noble metal. Therefore, the noble metals are not ion exchanged with or otherwise loaded on the inorganic oxides. Accordingly, the PTO's reliance on Inoue et al. is clearly misplaced.

The disclosure of JP '061 essentially parallels that of Inoue et al., and also fails to disclose a heat-resistant oxide loaded with a noble metal. For the benefit of the PTO, an Englishlanguage translation of JP '061 is attached hereto. JP '061 teaches preparing a slurry of zeolite, silica sol, alumina sol and The slurry is coated on a carrier (e.g., honeycomb structure), and the carrier is then fired. Thereafter, the zeolite is ion exchanged with a metal catalyst. As shown in Fig. 4 of JP '061, the resulting structure provides a plurality of zeolite particles 1 exposed at an outer surface of binder 3 (formed from The metal catalyst 5 is ion the silica and alumina sols). exchanged with the exposed zeolite particles 1. However, the metal catalyst is not ion exchanged with the binder 3, as discussed in more detail below.

Although the binder 3 likely forms a mixture of SiO2 and Al2O3 after firing, the metal catalyst cannot be ion exchanged therewith, but rather, is ion exchanged only with the zeolite particles 1 as The exclusive ion exchange with shown in Fig. 4 of JP '061. zeolite particles 1 can be explained by looking to the crystal structure of zeolite. As is well known in the art, zeolite is a unique crystalline aluminosilicate, which has a peculiar 3dimensional network structure in which SiO4 tetrahedral units are bonded by oxygen atoms and Al3+ ions are substituted for some of the Si4+ ions. For charge compensation, cations (e.g., H+, Na+, Ca2+, Cu2+, Pt4+, etc.) are present around the Al3+ ions. These cations may be reversibly ion exchanged with the metal catalyst as described by JP '061. Since the binder 3 (containing a mixture of SiO<sub>2</sub> and Al<sub>2</sub>O<sub>3</sub>) does not have a zeolite structure, the metal catalyst cannot ion exchange therewith. Accordingly, the metal catalyst is not loaded on the binder. Thus, it is quite clear that JP '061 fails to disclose all features of the presently claimed invention.

The PTO has taken an alternative position that the presently claimed invention would have been obvious over Inoue et al. or JP '061. However, the art of record provides absolutely no motivation to modify the zeolite catalysts of the applied references to include a heat-resistant oxide loaded with a noble metal. Indeed, the PTO has not articulated any such position, but has merely made an overly broad argument that it would have been

obvious to the artisan to use the same composition as presently claimed. Absolutely no support is found in the record to support this position.

For at least the foregoing reasons, applicants respectfully submit that all features of the presently claimed invention are not disclosed or even remotely suggested by the applied references. Accordingly, reconsideration and withdrawal of the § 102/§ 103 rejection over Inoue et al. or JP '061 are respectfully requested.

Applicants respectfully submit that the present application is now in condition for allowance. Accordingly, the Examiner is requested to issue a Notice of Allowance for all pending claims.

Should the Examiner deem that any further action by the applicants would be desirable for placing this application in even better condition for issue, the Examiner is requested to telephone applicants' undersigned representative at the number listed below.

Respectfully submitted,

Date: 6/20/95

Roger W. Barkhurst Registration No. 25,177

Jeffrey S. Abel

Registration No. 36,079

RWP:JSA:kmj
Attorney Docket No.: WATK:040A
PARKHURST, WENDEL & ROSSI
1421 Prince Street, Suite 210
Alexandria, Virginia 22314
Telephone: (703) 739-0220

Attachment:

English-language Translation of JP '061 (JP Application No. 62-292914)